


9.SOLUTIONS



2019 PRODUCT CATALOG





9.Solutions is a reference to the nine dots puzzle, the answer to which inspired the phrase “thinking outside the box”. An emphasis on creative thinking and a novel approach inspires all of 9.Solutions’ designs, allowing us to create innovative support products for creative industries such as film, photo, stage, and music.

Our products range from inventive takes on standard equipment to revolutionary new products like the C-Pan Arm and Savior Clamp. Each item is meticulously designed to solve unique problems resulting in groundbreaking solutions that will aid creative people everywhere in realizing their vision.

Barracuda Clamp
Savior Clamp
Savior Spring Clamp
Savior Clamp Mini
Savior Spring Clamp Mini
Python Clamp
Python Clamp Mini
Python Double Clamp
Heavy Duty Python Clamp with Stud
Heavy Duty T-Handle
Python Clamp with 5/8" Pin
Python Clamp with Grip Joint
Python Clamp with Snap-In Socket
Python Clamp with 3/8" Male Thread
Python Clamp with 35mm Tube Mount



CLAMPS

Clamps

Barracuda Clamp

Item # 9.VB5080

Whether clamping on a round, square, or flat object, the Barracuda Clamp will open wider and bite with more force than the competition. This super clamp's unique jaw design ensures equal pressure distribution and allows the Barracuda to grasp oddly shaped objects without the use of additional pieces. It also features a locking snap-in socket for one handed mounting!

Connections:

- (1x) 5/8" Receptacle,
- (1x) 3/8"-16 Female Thread
- (1x) 1/4"-20 Female Thread
- (2x) M6 (6mm) Female Thread
- (4x) M5 (5mm) Female Thread
- (1x) Anchor Point for Cable or Rope



Savior Clamp

Item # 9.XS1005

All Savior Clamps have unique, articulating jaws that will affix firmly onto any oddly shaped object. The peak-and-valley jaws ensure multiple points of contact on any surface, ensuring a strong grip. Numerous 1/4"-20 and 3/8"-16 female threads make it possible to mount multiple pieces of equipment to a single clamp.

Connections:

- (2x) 1/4"-20 Female Thread
- (2x) 3/8"-16 Female Thread
- (1x) 3/8"-16 Male Thread



Savior Clamp with Stud

Item # 9.XS1005A

The Savior with Stud is fitted with a 3.5" long 5/8" baby pin, tapped at its end with a 3/8" female thread in addition to the multiple 1/4"-20 and 3/8"-16 taps on each jaw enabling the user to mount multiple pieces of industry standard equipment.

Connections:

- (2x) 1/4"-20 Female Thread
- (2x) 3/8"-16 Female Thread
- (1x) 5/8" Stud with 3/8" tapped end



Savior Clamp with Socket

Item # 9.XS1005B

The Savior with Socket is fitted with a hexagonal socket for 5/8" pins and is tapped with one 1/4"-20 and one 3/8"-16 female threaded hole on each jaw.

Connections:

- (2x) 1/4"-20 Female Thread
- (2x) 3/8"-16 Female Thread
- (1x) 5/8" Snap-In Socket



Savior Spring Clamp

Item # 9.XS1004

The Savior Spring Clamp is the fast-mounting version of the Savior Clamp. It is fitted with a powerful torsion spring that delivers maximum clamping force without having to use a tightening knob.

Connections:

- (2x) 1/4"-20 Female Thread
- (2x) 3/8"-16 Female Thread



Savior Clamp Mini

Item # 9.XS1006

The Savior Clamp Mini packs all the unique features of the full sized Savior Clamp into a compact package. Its smaller size and adjustable tension lever make it perfect for mounting equipment in tight spaces.

Connections:

- (2x) 1/4"-20 Female Thread
- (1x) 3/8"-16 Female Thread



Savior Spring Clamp Mini

Item # 9.VB5100

The Savior Spring Clamp Mini is a scaled down version of the fast-mounting Savior Spring Clamp. It retains all the great features that make the Savior line of clamps unique but in a more compact form factor.

Connections:

- (2x) 1/4"-20 Female Thread
- (2x) 3/8"-16 Female Thread



Clamps

Python Clamp

Item # 9.VP5081

The Python Clamp can have its center bolt removed so it can be used with any 3/8"-16 threaded equipment. It can be adapted for use with many different accessories used in photo, video, stage, and visual merchandising.

Connections:

- Replaceable Center Column Accommodates M10 or 3/8" Rods



Python Clamp Mini

Item # 9.VB5079

The Python Clamp Mini combines a miniature version of the Python Clamp with a revolving rod receptacle. It can be mounted directly onto a 3/8" or 5/8" rod and swivels to accommodate any position the user needs. Combine it with the 9.Solutions Quick Mount Receiver to 3/8" Rod for a versatile and easy-to-use action cam mount!

Connections:

- (1x) 3/8" Rod Receptacle
- (1x) 5/8" Rod Receptacle



Python Double Clamp

Item # 9.VP5081D

The Python Double Clamp features two full-sized Python Clamps connected by a single 3/8" rod. Both clamp heads can rotate 360 degrees independent of one another, allowing you to position and lock down equipment with ease.

Connections:

- Replaceable Center Column Accommodates M10 or 3/8" Rods



Heavy Duty Python Clamp with Stud

Item # 9.VB5081A-H

The Heavy Duty Python Clamp with Stud features a 5/8" baby pin for mounting standard grip and lighting equipment. The bottom of the pin is tapped with a 3/8"-16 female thread so equipment can be mounted directly to it. It also features a heavy duty T-Handle and a high grade 420 stainless steel threaded rod for added utility and durability.

Connections:

- 5/8" (16mm) Baby Pin with 3/8" Tapped Hole



Heavy Duty T-Handle

Item # 9.VB5109

The Heavy Duty T-Handle can replace the standard tightening handle on the 9.Solutions Savior Clamp or any full sized Python Clamp. Its ergonomic design provides increased surface area for a sturdier grip and easier torque. Different colors available (MOQ may apply)

Connections:

- 3/8"-16 Female Thread



Python Clamp with 5/8" Pin

Item # 9.VP5081A

The Python Clamp with 5/8" Pin features a 5/8" baby pin that can be used to mount standard grip and lighting equipment.



Connections:

- (1x) 5/8" (16mm) Pin



Python Clamp with Grip Joint

Item # 9.VP5081C

The Python Clamp with Grip Joint is fitted with a unique head capable of fastening onto rods ranging in diameter from 1/4" to 5/8". The clamp can be used like a traditional grip head on a stand with the added functionality that the Python Clamp provides.



Connections:

- (1x) 3/8" Rod Receptacle
- (1x) 5/8" Rod Receptacle



Python Clamp with Snap-In Socket

Item # 9.VP5081B

The Python Clamp with Snap-In Socket features an auto-locking receptacle that triggers when a 5/8" pin or spigot is inserted, allowing users to mount equipment with one hand. The socket has an additional finger screw for securing the stud and prevents unwanted movement.



Connections:

- (1x) 5/8" (16mm) Snap-in Receptacle



Python Clamp with 3/8" Male Thread

Item # 9.VP5081E

The Python Clamp with 3/8" Male Thread has a fixed 3/8"-16 threaded bolt for mounting anything with a 3/8"-16 female thread such as quick release plates, tripod heads, or cheeseplates.



Connections:

- (1x) 3/8" Male Thread



Python Clamp with 35mm Tube Mount

Item # 9.VP5081G

The Python Clamp with 35mm Tube Mount consists of a 35mm tube clamp atop a Python Clamp. The tube mount is intended for use with the 9.Solutions Ex-Sus Pole but is compatible with any 35mm tubing. The clamp can rotate independent of the tube mount and will lock down once the Python Clamp is set.



Connections:

- 35mm Tube Clamp



El-Bo Arm

Angled El-Bo Arm

Double El-Bo Arm

Double Joint Arm Tiny

Double Joint Arm Short

Double Joint Arm Medium

Double Joint Arm Long



ARTICULATING ARMS

Articulating Arms

El-Bo Arm

Item # 9.VE5085

The El-Bo Arm is built around an elegant locking mechanism that makes it possible to operate with one hand. The compression handle lock makes repositioning the arm quick and easy. It is fitted with a 3/8"-16 male thread on one end and a 5/8" pin on the other, both of which are compatible with industry standard equipment such as clamps and stands. The El-Bo Arm is perfect for precise mounting or for rigging equipment that needs to be frequently repositioned.

Connections:

- (1x) 3/8"-16 Male Thread
- (1x) 5/8" Pin with 3/8"-16 Female Thread



Angled El-Bo Arm

Item # 9.VE5090

The Angled El-Bo Arm features the same compression handle lock as the standard El-Bo Arm, but was designed to carry equipment on its ball joint. This allows for heavier payloads and makes the arm uniquely suited for use in a "pistol grip ball head" configuration.

Connections:

- (1x) 3/8"-16 Male Thread
- (1x) 5/8" Pin with 3/8"-16 Female Thread



Double El-Bo Arm

Item # 9.VD5095

The Double El-Bo Arm doubles down on everything that makes the standard El-Bo Arm great. It features two ball head joints, allowing for easy and dynamic positioning of mounted equipment. One end is fitted with a 5/8" pin tapped with a 3/8"-16 female thread while the other has a 3/8"-16 male thread.

Connections:

- (1x) 3/8"-16 Male Thread
- (1x) 5/8" Pin with 3/8"-16 Female Thread



Double Joint Arm (Tiny-260mm)

Item # 9.VD5089XS

The Double Joint Arm has ball joints on both ends that are locked into position by a single-point, adjustable tension level. Each ball joint is fitted with a 5/8" pin that is tapped with a 3/8"-16 female thread.

Connections:

- (2x) 5/8" Pin with 3/8"-16 Female Thread



Double Joint Arm (Short-360mm)

Item # 9.VD5089S



Double Joint Arm (Medium-460mm)

Item # 9.VD5089M



Double Joint Arm (Long-660mm)

Item # 9.VD5089L



3/8" Gag

3/8" Rod Set (150mm)

3/8" Rod Set (250mm)

3/8" Rod Set (500mm)

Quick Mount Receiver to 3/8" Rod

Quick Mount Receiver to 3/8" Gag

Action Camera L-Bracket

Action Camera Flat Clamp



MINI RIGGING & MAGNETIC QUICK MOUNT

Mini Rigging & Quick Mount Accessories

3/8" Gag

Item # 9.XR1011

The 3/8" Gag allows two 3/8" (10mm) rods to be joined and positioned at any angle. One of the two 3/8" rod receptacles is open, so users can attach the 3/8" Gag at any point along a rod.

Connections:

- (2x) 3/8" Pass-thru Receptacle



3/8" Rod Set (150mm)

Item # 9.VBROD1

Multiple 3/8" Rods can be used to create larger structures for rigging a wide variety of equipment. The 9.Solutions 3/8" Rods come in sets of two and are available in 150, 250, and 500 mm lengths.

Connections:

- (2x) 3/8"-16 Male Thread



3/8" Rod Set (250mm)

Item # 9.VBROD2

3/8" Rod Set (500mm)

Item # 9.VBROD3

Quick Mount Receiver to 3/8" Rod

Item # 9.XM1010

The Quick Mount Receiver to 3/8" Rod is used to offset a Quick Mount Receiver making it especially useful for mounting equipment in small spaces. It is fitted with two Quick Mount Receivers, positioned at a 90° angle from one another.

Connections:

- (2x) Quick Mount Receiver
- (1x) 3/8" Male Thread



Quick Mount Receiver to 3/8" Gag

Item # 9.XL1012

The Quick Mount Receiver to 3/8" Gag allows users to easily attach any Quick Mount Accessory on a 3/8" (10mm) rod. Its unique side opening allows you to attach this accessory anywhere along a rod without having to slide it on from the end.

Connections:

- (1x) Quick Mount Receiver
- (1x) 3/8" Pass-thru Receptacle



Action Camera L-Bracket

Item # 9.XA1017

The Action Camera L-Bracket is the perfect companion to GoPro and other action cameras. The included 1/4"-20 thumb screw can be used to mount 1/4"-20 female threaded equipment to accommodate a variety of different configurations.

Connections:

- (1x) Quick Mount Receiver
- (6x) 1/4" Mounting Holes



Action Camera Flat Clamp

Item # 9.XA1013

The Action Camera Flat Clamp is perfect for mounting equipment on cloth or straps. It is tapped with a 1/4"-20 threaded hole on each side which can be used to mount accessories directly to it. Ideal for use with the 9.Solutions Action Camera L-Bracket!

Connections:

- (2x) 1/4"-20 Female Thread



Mini Rigging & Quick Mount Accessories

Quick Mount for GoPro Cameras

Item # 9.XA10073

The Quick Mount for GoPro Camera allows the popular action camera to be used with 9.Solutions' wide array of Magnetic Quick Mount Accessories. Made from anodized aluminum, 9.Solutions Quick Mount Accessories are stronger and easier to use than most GoPro accessories on the market.

Connections:

- (1x) GoPro Connector
- (1x) Quick Mount



Quick Mount for Lightweight Cameras

Item # 9.XA10072

The Quick Mount for Lightweight Cameras has a 1/4"-20 male thread that can be used to mount small cameras or accessories to any 9.Solutions Quick Mount Receiver.

Connections:

- (1x) 1/4"-20 Male Thread
- (1x) Quick Mount



Quick Mount for Large Cameras

Item # XA1015

The Quick Mount for Large Cameras has a 1/4"-20 male thread and a wide base that can be used to mount larger cameras such as DSLRs to any 9.Solutions Quick Mount Receiver.

Connections:

- (1x) 1/4"-20 Male Thread
- (1x) Quick Mount



Quick Mount Angle Joint

Item # 9.XA1008

The Quick Mount Angle Joint allows articulated positioning of any 9.Solutions Quick Mount Accessory. Rosettes in the joint ensure rock-solid, locking positions and prevents slippage. Multiple Angle Joints can be chained together to form a multi-segment arm with numerous points of articulation.

Connections:

- (1x) Quick Mount Receiver
- (1x) Quick Mount



Quick Mount Receiver to Screw-On Plate

Item # 9.XA10074

The Quick Mount Receiver to Screw-On Plate allows you to use Quick Mount accessories with any surface where a screw connection is possible. It can be used on surfaces up to 15 mm thick. Includes two machine screws but is also compatible with wood screws.

Connections:

- (1x) Quick Mount Receiver
- (1x) Screw-on Plate with Countersunk 1/4" Holes



Quick Connect to Stud

Item # 9.VB5111

The Quick Connect to Stud is a baby pin fitted with a 9.Solutions Magnetic Quick Mount, making it possible to use a wide range of industry standard equipment with the innovative Magnetic Quick Mount system. The pin and connectors are milled from a single piece of aluminum, ensuring a strong and durable connection.

Connections:

- (1x) 5/8" Stud with 3/8" tapped end
- (1x) Magnetic Quick Mount



Gooseneck

Item # 9.XG1029

The Gooseneck is a versatile flex arm made for use with 9.Solutions' Quick Mount System. One end is fitted with a Quick Mount Receiver while the other has a Quick Mount making it possible to link multiple Goosenecks together for extra reach. Its silicon sleeve protects it from the elements and makes it easy to clean.

Connections:

- (1x) Quick Mount Receiver
- (1x) Quick Mount



GoPro Multi-Tool

Item # 9.XA1009

The Multi-Tool for GoPro can be used as a wrench for GoPro thumb screws, as an Allen key for 3/16" Allen screws, and as a bottle opener for those special occasions.



Connections:

- (1x) Wrench for GoPro Thumb Screw
- (1x) 3/16" Allen Key
- (1x) Bottle Opener



Quick Mount Receiver to Handle Bar

Item # 9.XA10071

The Quick Mount Receiver to Handle Bar is perfect for mounting any Quick Mount fitted accessories to bicycle/ motorcycle handlebars or roll bars.



Connections:

- (1x) Quick Mount Receiver
- (1x) Handle Bar Mount (26-30mm)



GoPro Thumb Screws

Item # 9.VB5107

The 9.Solutions GoPro Thumb Screws are heavy duty, anodized aluminum replacements for the standard plastic GoPro thumb screw. The hard, anodized aluminum head allows for increased torque and durability.



1/4"-20 Screw-On Quick Mount Receiver

Item # 9.XA10075

The 1/4"-20 Screw-On Quick Mount Receiver allows you to attach a Quick Mount Receiver onto any equipment with a 1/4"-20 female thread. Fasten the Quick Mount Receiver with the 9.Solutions Multi-Tool for GoPro!



Connections:

- (1x) Quick Mount Receiver
- (1x) 1/4"-20 Male Thread



3/8"-16 Thread-On Quick Mount Receiver

Item # XA1016

The 3/8"-16 Thread-On Quick Mount Receiver allows you to attach a Quick Mount Receiver onto any equipment that has a 3/8"-16 male thread.



Connections:

- (1x) Quick Mount Receiver
- (1x) 3/8"-16 Female Thread



Quick Mount Receiver to Adhesive Plate

Item # 9.XA1018

The Quick Mount Receiver to Adhesive Plate is made from malleable aluminum so it can be used on flat or curved surfaces. Simply place the accessory on the desired surface and shape it as needed.



Connections:

- (1x) Quick Mount Receiver
- (1x) Adhesive Plate



Large Tube Mount to Quick Mount Receiver

Item # 9.VA5099

The Large Tube Mount is a unique wrap around clamp that is capable of affixing to a variety of oddly shaped tubes. Its hinged jaws can be inverted in order to fit larger round and oval tubes. It is fitted with a Magnetic Quick Mount receiver for use with any 9.Solutions Quick Mount accessory and includes optional padding tape for scratch protection.



Connections:

- (1x) Quick Mount Receiver



Handlebar Mount

Item # VA5113

The Handle Bar Mount is a quick, tool-less, wrap around tube mount for use with the 9.Solutions Magnetic Quick Mount system. It can easily adjust to fit tubes ranging in size from 22-35mm.



Connections:

- (1x) Quick Mount Receiver



5/8" Gag Open

5/8" Gag Closed

5/8" Dual Gag

5/8" Rod Set (150mm)

5/8" Rod Set (250mm)

5/8" Rod Set (500mm)

5/8" Rod Set (750mm)

5/8" Rod Set (1000mm)



RIGGING

Rigging

5/8" Gag Open

Item # 9.VG5096

The 5/8" Gag allows two 5/8" (16 mm) rods to be joined and positioned at any angle. One 5/8" pass-thru receptacle is open so you can attach the 5/8" Gag at any point along a rod.

Connections:

- (1x) 5/8" (16mm) Rod Receptacle



5/8" Gag Closed

Item # 9.VG5096A

The 5/8" Gag Closed allows one 5/8" (16 mm) rod to be joined at any angle with a 5/8" or 3/8" (10 mm) rod. The option to convert from a 5/8" rod to a 3/8" rod gives the user dynamic flexibility when constructing a support rig.

Connections:

- (2x) 5/8" (16mm) Rod Receptacle
- (1x) 3/8" (10mm) Rod Receptacle



5/8" Dual Gag

Item # 9.VG5096D

The 5/8" Dual Gag allows users to tighten each end of the gag independently. It can work as a multi-function gobo head for use with rods ranging in diameter from 5/16" (8 mm) to 5/8" (16 mm). The 5/8" Dual Gag features an increased load capacity thanks to its larger diameter cups and rings making it a viable replacement for a regular grip head.

Connections:

- (2x) 5/8" (16mm) Rod Receptacle
- (2x) 3/8" (10mm) Rod Receptacle



5/8" Rod Set (150mm)

Each 5/8" Rod is tapped at each end with a 3/8"-16 female thread and can be extended using 9.Solutions' 5/8" Rod Connectors. Alternatively, 9.Solutions' 3/8" Rods can be threaded directly into the end of a 5/8" Rod, making it easy to transition from one rigging standard to another. Each set includes two rods, one connector, and are available in 150, 250, 500, 750, and 1000 mm lengths.

Connections:

- (2x) 3/8"-16 Female Thread

- 5/8" Rod Set (150mm) Item # 9.VBROD5
- 5/8" Rod Set (250mm) Item # 9.VBROD6
- 5/8" Rod Set (500mm) Item # 9.VBROD7
- 5/8" Rod Set (750mm) Item # 9.VBROD8
- 5/8" Rod Set (1000mm) Item # 9.VBROD9



3/8" Finger Nuts and Connecting Nuts

Item # 9.VBROD4

The 3/8" Finger Nuts are used to securely lock the 3/8" rods to different accessories. The 3/8" Connecting Nuts can be used to connect multiple 3/8" rods together, allowing you to make longer rods.

Connections:

- (6x) 3/8"-16 Finger Nuts
- (2x) 3/8"-16 Connecting Nuts



5/8" Rod Connectors

Item # 9.VBROD10

The 5/8" Rod Connector is used to connect multiple pieces of 9.Solutions 5/8" Rod. Additionally, the 5/8" Rod Connector can be used to attach a 5/8" Rod to any equipment with a 3/8"-16 tap-in.

Connections:

- (6x) 5/8" Rod Connectors



Rigging

Grip Joint

Item # 9.VB5083

The Grip Joint is a versatile nexus point for joining different sized rods and mounting equipment. It is equipped with one 1/4"-20 and three 3/8"-16 female threads in addition to a revolving 3/8" and 5/8" rod receptacle. The Grip Joint can pull double duty as a junction point and mounting tool for lights, cameras, or other equipment.

Connections:

- (1x) 3/8" (10mm) Rod Receptacle
- (1x) 5/8" (16mm) Rod Receptacle
- (1x) 1/4"-20 Female Thread
- (3x) 3/8"-16 Female Thread



Snap-In Socket

Item # 9.VB5093

The Snap-In Socket is an external socket for 5/8" studs which attaches via its 3/8"-16 female thread. When a stud is inserted, the Snap-In Socket auto-locks allowing users to mount equipment single handedly while the finger screw can be used to dial in the socket's grip.

Connections:

- (1x) 5/8" (16mm) Receptacle
- (1x) 3/8"-16 Female Thread



Ex-Sus Pole

Item # 9.VE5091

The Ex-Sus Pole's unique telescoping functionality makes it an ideal tool for mounting lights, cameras, and other equipment from overhead fixtures such as grids or pipes, freeing up valuable floor space. With the flick of a lever, the height of your equipment can be adjusted quickly. The top of the Ex-Sus Pole has a 3/8"-16 male thread so it can be mounted to a 3/8"-16 female threaded clamp.

Connections:

- (1x) 3/8"-16 Male Thread
- (1x) 5/8" Pin



VESA to 5/8" Receptacle

Item # 9.XV1014

Now available in two sizes, each VESA to 5/8" Receptacle allow users to mount VESA compatible monitors on standard grip equipment. They feature dual 5/8" receptacles as well as 1/4"-20 and 3/8"-16 female threads.

Connections:

- (1x) 75x75mm VESA Pattern
- (1x) 100x100mm VESA Pattern
- (2x) 5/8" Receptacle
- (1x) 1/4"-20 Female Thread
- (1x) 3/8"-16 Female Thread



Large VESA to 5/8" Receptacle

Item # 9.XV1024

Connections:

- (1x) 75x75mm VESA Pattern
- (1x) 100x200mm VESA Pattern
- (1x) 100x100mm VESA Pattern
- (1x) 200x200mm VESA Pattern

- (2x) 5/8" Receptacle
- (1x) 1/4"-20 Female Thread
- (1x) 3/8"-16 Female Thread



Large VESA to Mount Replacement Plate

Item # 9.XV1025

Tilt Adaptor

Item # 9.VT5098

The Tilt Adaptor is an articulating link featuring a friction locking disc that can securely and accurately set the angle between its built in 5/8" pin and its corresponding 5/8" receptacle via its adjustable tension lever. The ergonomic lever makes it easy to lock down the friction disc in confined spaces while the twist resistant 5/8" pin prevents rotation when locked down.

Connections:

- (1x) 5/8" (16mm) Receptacle
- (1x) 5/8" (16mm) Pin



Suction Cup

Item # 9.VB5105

The Suction Cup is equipped with a unique "cheese block", tapped with multiple 1/4"-20 and 3/8"-16 female threads on all seven sides. It also features two 3/8" rod clamps which can be positioned on any side of the cheese block providing a wide range of rigging configurations.

Connections:

- (9x) 3/8" Female Thread
- (10x) 1/4" Female Thread
- (2x) 3/8" Rod Clamp



Cheese Plate

Item # 9.VB5115

The Cheese Plate is a convenient mounting plate for small and medium sized cameras. It features a variety of mounting points and sizes.

Connections:

- (1x) 1/4" / 3/8" Finger Screw
- (12x) 3/8"-16 Female Thread (four on each corner block)
- (9x) 1/4"-20 Female Thread (on plate)
- (1x) 10mm Slot (on plate)
- (6x) 10mm Through Holes (on plate)
- (3x) 3/8" Rod Clamp (removable)



Baby Pins (Set of 2)

Item # 9.VB5101-H

The Baby Pins are an ideal way to increase mounting utility to anything with a 3/8" male or female thread. Each Baby Pin is equipped with a 3/8" male thread on one end and a 3/8" female thread on the other. Mounting the pin on either end enables users to mount equipment that utilizes a 5/8" receptacle such as the 9.Solutions VESA to 5/8" Receptacle.

Connections:

- (2x) 3/8" Male Thread
- (2x) 3/8" 3/8" Female Thread



Phone Grip

Item # 9.VB5102

The Phone Grip is a professional grade mounting clamp that will accommodate a wide range of smartphones and features attachment points for mounting a wide range of imaging equipment.

Connections:

- (3x) 1/4"-20 Female Thread
- (1x) 3/8"-16 Female Thread
- Phone Sizes: 55-80mm Wide



Tablet Holder

Item # 9.VB5103

The Tablet Holder is an ideal support tool for the media production environment. There are multiple 1/4"-20 and 3/8"-16 mounting points on all sides and spring loaded jaws that enable easy one hand placement and retrieval. Compatible with most tablets up to 8.85" in width.

Connections:

- (6x) 1/4"-20
- (2x) 3/8"-16 tapped holes on bottom, top, and back

Specifications:

Weight: 247g
Color: Grey
Tablet Sizes: 130-225mm wide



Cold Shoe Clamp

Item # 9.VB5112

Featuring spring loaded jaws, the Cold Shoe Clamp enables users to mount equipment with one hand. Its finger screw doubles as a push knob for easy operation of the clamp. Accommodates standard shoe sizes of 18, 20, and 22mm.

Connections:

- (1x) 1/4"-20 Female Thread
- (1x) 3/8"-16 Female Thread



C-pan Arm

C-pan Arm

Item # 9.CPA1

The C-pan Arm is a unique camera guide system that mechanically moves your camera in a variety of different paths: horizontally, vertically, or diagonally. The C-pan Arm is capable of curved camera paths as well, and its total movement range is 3.5 times its folded length.


When making a non-curved movement, the arm functions as a traditional, straight track slider. Small adjustments to the arm allow the camera to move in a curved path.

The C-pan arm comes with dumbbells that are used to counter weight and stabilize the movements.



SPECIFICATIONS:

Horizontal Load 17 lb / 8 kg
Vertical Load: 13 lb / 6 kg
Weight (Body): 11 lb / 5 kg
Weight (Dumbbells): 13 lb / 6 kg
Pan Range (Vert. & Horiz.): 55 in / 140 cm
Tripod Mount: 3/8"-16 Female
Camera Plate Mount: 1/4"-20 and 3/8"-16



Mini C-pan Arm

Item # 9.CPA2

The Mini-C Pan Arm is the on-the-go version of its big brother. Despite its compact traveling size, it is still capable of 700mm of straight movement and like the full sized C-Pan Arm, can make both inward and outward curved movements.



SPECIFICATIONS:

Horizontal Load 11 lb / 5 kg
Vertical Load: 6.6 lb / 3 kg
Weight (Body): 3.3 lb / 1.5 kg
Pan Range (Vert. & Horiz.): 23.6 in / 60 cm
Tripod Mount: 3/8"-16 and 1/4"-20 Female
Camera Plate Mount: 1/4"-20 and 3/8"-16

